	Application No.	Applicant(s)
Notice of Allowability	09/845,552	SMITH ET AL.
	Examiner	Art Unit
	Kimnhung Nguyen	2677
· · · · · · · · · · · · · · · · · · ·	Killinang Nguyen	2011
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment filed on 11/44/05</u> .		
2. The allowed claim(s) is/are <u>7,25,28,30-34,36 and 37</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5  Notice of Informal P	atent Application (PTO-152)
Notice of Native reflects Cited (PTO-932)     Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
	Paper No./Mail Date	e
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date</li> </ol>	o), 7. 🔼 Examiner's Amendir	leri/Comment
<ol> <li>Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol>	8. Examiner's Stateme	nt of Reasons for Allowance
•	9.  Other	

Application/Control Number: 09/845,552

Art Unit: 2629

## **DETAILED ACTION**

This Application has been examined. The claims 7, 25, 28, 30-34, and 36-37 are allowed.

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Jeffrey N. Giunta on 3/15/06.

## AMENDMENT TO THE CLAIMS:

Please amend claim 25 as follows:

25. A touchpad input device comprising:

a touchpad disposed along at least portion of at least one outside edge of a housing;

a display located within the housing, the at least one outside edge of the housing being located about at least one edge of the display, and the touchpad being disposed along at least a portion of the at least one edge of the display;

a dimension selection switch able to select one of at least two dimensions;

a user input detector, electrically coupled to the touchpad and the dimension selection switch, for detecting user input from the touchpad and a selected dimension selected by the dimension selection switch and transmitting input signals, wherein the input signals controls movement in the selected dimension in response to the user input; and

Application/Control Number: 09/845,552

Art Unit: 2629

a control circuit electrically coupled to the user input detector and the display, wherein

the control circuit acts upon the input signals from the user input detector and transmits output

signals to the display.

Please cancel claims 26-27.

Correspondence

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Kimnhung Nguyen whose telephone number is (571) 272-7698.

The examiner can normally be reached on MON-FRI, FROM 8:30 AM-5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Richard Hierpe can be reached on (571) 272-7691. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kimnhung Nguyen March 16, 2006

AMR A. AWAD
PRIMARY EXAMINER
ANY HUMA AVAR

Page 3